

## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.





Q5B249  
A3

USDA  
NAT'L AGRIC LIBRARY

2003 JUN 27 P 12:05

CURRENT & PAST  
ACQ/SERIALS SECTION

# COTTON VARIETIES PLANTED

## 1988 CROP



**UNITED STATES DEPARTMENT OF AGRICULTURE**  
**Agricultural Marketing Service    Cotton Division**  
**Memphis, Tennessee**  
**August 1988**



# CONTENTS

<u>Table</u>	<u>Page</u>
Introduction . . . . .	1
Leading Varieties. . . . .	1
1. Varieties by states and United States, crop of 1988. . . . .	2-3
Varieties planted by classing offices, crop of 1988:	
2. Abilene. . . . .	4
3. Altus. . . . .	4
4. Bakersfield. . . . .	5
5. Birmingham . . . . .	5
6. Corpus Christi . . . . .	6
7. El Centro. . . . .	6
8. El Paso. . . . .	7
9. Florence . . . . .	7
10. Fresno . . . . .	8
11. Greenwood. . . . .	8
12. Harlingen. . . . .	9
13. Hayti. . . . .	9
14. Lamesa . . . . .	10
15. Little Rock. . . . .	10
16. Lubbock. . . . .	11
17. Macon. . . . .	11
18. Memphis. . . . .	12
19. Phoenix. . . . .	12
20. Rayville . . . . .	13
21. Waco . . . . .	13
22. Estimated percentage of American Pima cotton acreage planted to specified varieties, by states, crop of 1988 . . . . .	14
23. Estimated percentage of American Pima cotton acreage planted to specified varieties, by classing offices, crop of 1988 . . . . .	14

UNITED STATES DEPARTMENT OF AGRICULTURE  
 AGRICULTURAL MARKETING SERVICE  
 COTTON DIVISION, MARKET NEWS BRANCH  
 4841 SUMMER AVENUE - MEMPHIS, TN 38122  
 Telephone 901-521-2931



Cotton Varieties Planted, United States  
1988 Crop

Deltapine was the leading variety of upland cotton planted in the United States for the 1988-89 season, according to the Cotton Division, Agricultural Marketing Service, USDA. Deltapine accounted for 30 percent of the U.S. acreage planted, up from 25 percent in 1987. Paymaster was the second most popular variety, accounting for 14 percent of the total acreage. Stoneville was the next most popular variety which accounted for 11 percent of the U.S. acreage. Acala was the fourth leading variety and made up 7 percent of the national acreage, followed by Tamcot at 6 percent and Germain's at 5 percent. Sixteen varieties accounted for 1 percent or more of the U.S. acreage.

Deltapine was the leading variety of upland cotton planted in the U.S. for the 1988-89 season. This variety accounted for 30 percent of the national acreage. Deltapine was the leading variety planted in Alabama, Arizona, Arkansas, Georgia, Louisiana, Mississippi, Missouri, North Carolina and Tennessee. Deltapine 50 and Deltapine Acala 90 were the two most popular strains, accounting for 13 and 8 percent of the U.S. acreage, respectively.

Paymaster was the second leading variety planted in 1988 and accounted for 14 percent of the U.S. acreage. Paymaster was the most popular variety planted in Texas and the second most favored variety planted in New Mexico and Oklahoma. The leading strain was Paymaster 145, which made up 12 percent of the U.S. acreage.

Stoneville was the next most popular variety which accounted for 11 percent of the U.S. acreage. Stoneville was the second most popular variety planted in Alabama, Arkansas, Louisiana, Mississippi, Missouri and Tennessee. Stoneville 825 was the predominant Stoneville strain, accounting for 6 percent of the national acreage.

The fourth most popular variety planted in 1988 was Acala. This variety accounted for 7 percent of the U.S. acreage and was the leading variety planted in California and New Mexico and the second most favored in Arizona. Acala SJ-2 was the leading Acala strain, making up 5 percent of the national acreage.

The fifth most popular variety was Tamcot, accounting for 6 percent of the U.S. acreage. Tamcot was the second most favored variety planted in Texas. Tamcot SP-21 was the predominant Tamcot strain which made up 2 percent of the 1988 acreage.

The sixth most prevalent variety planted was Germain's, which made up 5 percent of total U.S. acreage. This variety was the second most popular variety planted in California. Acala GC-510 was the leading Germain's strain and made up 5 percent of total acreage.

Pima S-6 remained the leading strain of American Pima cotton planted in the United States for the 1988 crop. This was the fifth consecutive year Pima S-6 has been predominant, accounting for 99.5 percent of the total acreage planted this season, up from about 95 percent in 1987. Pima S-5, at 0.5 percent, made up the remainder of the 1988 American Pima acreage, down from around 5 percent the previous season.

Estimates of the percentage of the various varieties of cotton planted in the United States for 1988 by counties, classing offices and states are presented in this report. The variety data are based primarily on estimates furnished by cotton ginners for the territories served by their gins.

Estimated percentage of upland cotton acreage planted to specified varieties,  
United States, 1984-1988

Year	Acala	Delta- pine	Germain's	Pay- master	Stone- ville	Tamcot	Other	Total
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1984	12	17	-	10	17	7	30	100
1985	10	20	2	11	17	7	28	100
1986	7	27	4	11	16	7	25	100
1987	7	25	4	13	13	6	31	100
1988	6.9	30.0	4.6	13.8	10.7	6.0	28.0	100.0



Table 1. Estimated percentage of upland cotton planted to specified varieties, by states and United States, crop of 1988

VARIETY		AL	AZ	AR	CA	GA	LA	MS	MO	NM	NC	OK	SC	TN	TX	OTHER	UNITED STATES
		:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	1/ 2/
ACALA	1517 E-1	-	-	-	-	-	-	-	-	0.5	-	-	-	-	-	-	*
	1517 E-2	-	0.5	-	-	-	-	-	-	3.7	-	-	-	-	*	-	*
	1517-75	-	1.2	-	-	-	-	-	-	29.4	-	-	-	-	*	-	*
	1517-77BR	-	-	-	-	-	-	-	-	18.6	-	-	-	-	0.5	-	*
	1517-88	-	-	-	-	-	-	-	-	1.5	-	-	-	-	-	-	*
	1517-SR1	-	*	-	-	-	-	-	-	3.2	-	-	-	-	*	-	*
	BR-110	-	1.7	-	-	-	-	-	-	-	-	*	-	-	*	-	*
	SJ-2	-	-	-	48.4	-	-	-	-	-	-	-	-	-	-	-	5.4
	SJ-5	-	-	-	3.9	-	-	-	-	-	-	-	-	-	-	-	*
	SJC-1	-	-	-	1.8	-	-	-	-	-	-	-	-	-	-	-	*
ALL-TEX	E-2	-	-	-	-	-	-	-	-	3.7	-	0.5	-	-	*	-	*
	QUICKIE	-	-	-	-	-	-	-	-	0.5	-	-	-	-	0.5	-	*
	WM 571	-	-	-	-	-	-	-	-	0.5	-	1.4	-	-	0.6	-	*
	625	-	-	-	-	-	-	-	-	-	-	0.7	-	-	*	-	*
	C-13	-	0.8	-	-	-	-	-	-	-	-	5.2	-	-	2.6	-	1.4
CASCOT	L-7	-	0.8	-	-	-	-	-	-	-	-	0.7	-	-	1.1	-	0.5
	2910	-	-	-	-	-	-	-	-	-	-	1.9	-	-	*	-	*
	304	*	*	-	-	1.6	-	-	-	-	5.9	-	3.0	-	*	-	*
	310	2.0	-	-	-	1.0	-	-	-	-	5.4	-	0.8	-	*	-	*
	312	-	-	-	-	-	-	-	-	*	-	-	-	-	0.7	-	*
	315	1.4	-	-	-	10.2	-	-	-	-	15.8	-	50.2	-	*	-	1.1
	500	-	-	-	-	-	-	-	-	-	-	-	-	-	1.1	-	0.5
COKER	3131	-	-	-	-	0.5	-	*	0.9	-	-	-	-	-	*	-	*
	5110	-	-	-	-	-	-	-	-	-	-	-	-	-	0.5	-	*
DELTA PINE	ACALA 90	26.2	57.9	3.0	2.9	49.1	29.0	0.7	*	3.2	11.2	5.7	24.0	-	3.9	17.1	8.3
	20	1.1	2.0	8.0	*	-	15.4	17.3	12.1	-	3.5	*	*	21.3	1.0	-	5.0
	41	4.5	2.0	2.1	-	9.1	13.7	2.9	-	-	0.8	-	-	-	2.0	48.0	2.6
	50	32.2	3.2	40.6	-	5.0	17.1	40.3	42.0	-	26.4	-	3.4	50.1	2.4	9.1	13.1
	61	2.7	5.5	*	*	-	-	0.6	-	-	-	-	-	-	-	-	*
	77	-	16.5	-	*	-	-	-	-	-	-	-	-	-	-	-	0.5
	120	-	1.8	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	DES-119	2.9	1.1	1.6	0.9	*	1.5	13.0	-	-	-	-	-	*	*	3.7	2.0
	DES-422	-	-	0.5	-	-	*	2.1	-	-	-	-	-	-	-	-	0.8
	DUNN	-	-	-	-	-	-	-	-	1.3	-	-	-	-	1.7	-	*
G & P	120	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	325	-	-	-	-	-	-	-	-	6.1	-	-	-	-	-	-	*
	400	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	1047	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	-	*
	GP 1005	-	-	-	-	-	-	-	-	-	-	0.6	-	-	0.7	-	*
GERMAIN'S ACALA GROWERS	GP 3755	-	-	-	-	-	-	-	-	-	-	0.7	-	-	*	-	*
	GP 3774	-	-	-	-	-	-	-	-	-	-	0.6	-	-	3.1	-	1.4
	GP 5479	-	-	-	-	-	-	-	-	-	-	0.6	-	-	*	-	*
	GC-510	-	*	-	40.7	-	-	-	-	-	-	-	-	-	-	-	4.6
	GSA 71	-	-	-	-	-	-	-	-	-	-	*	-	-	2.3	-	1.1
HOLLAND	GSC 25	-	-	-	-	-	-	-	-	-	-	-	-	-	3.1	-	1.4
	1379	-	-	-	-	-	-	-	-	-	-	2.4	-	-	*	5.2	*
	4002	-	-	-	-	-	-	-	-	-	-	*	-	-	0.7	-	*
HURDT'S	100	-	-	-	-	-	-	-	-	-	-	0.8	-	-	*	-	*
	700	-	-	-	-	-	-	-	-	-	-	1.3	-	-	-	-	*



Table 1. Continued

VARIETY	AL	AZ	AR	CA	GA	LA	MS	MO	NM	NC	OK	SC	TN	TX	ALL : UNITED OTHER : STATES 1/ : 2/
LANKART	-	-	-	-	-	-	-	-	-	-	1.1	-	-	1.0	- 0.5
LX-571	-	-	-	-	-	-	-	-	-	-	7.8	-	-	*	*
PR-75	-	-	-	-	-	-	-	-	-	-	9.9	-	-	0.7	0.7
57	-	-	-	-	-	-	-	-	-	-	6.6	-	-	0.7	0.6
175	-	-	-	-	-	-	-	-	-	-	2.1	-	-	*	*
511	-	-	-	-	-	-	-	-	-	-	9.0	-	-	3.4	1.9
611	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MCNAIR	*	-	-	-	8.0	-	-	-	4.6	8.7	-	*	-	*	*
220	*	*	*	-	7.1	*	0.5	-	-	19.3	-	10.1	1.2	-	0.6
235	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTHROP KING KC 380	*	-	-	-	*	-	*	-	-	-	-	-	1.5	-	*
PAYMASTER	-	-	-	-	-	-	-	-	1.3	-	*	-	-	2.8	1.3
HS 26	-	-	-	-	-	-	-	-	13.8	-	19.2	-	-	23.8	11.6
145	-	-	-	-	-	-	-	-	2.7	-	-	-	-	*	*
266	-	-	-	-	-	-	-	-	2.4	-	1.3	-	-	1.2	0.6
404	-	-	-	-	-	-	-	-	-	-	*	-	-	*	*
792	-	-	-	-	-	-	-	-	-	-	-	3.4	-	-	*
PD-1	-	-	-	-	-	-	-	-	-	*	-	2.6	-	-	*
PD-3	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
QUAPAW	-	-	-	-	-	-	-	-	0.5	-	-	-	-	*	*
RANGER	-	-	-	-	-	-	-	-	-	-	-	-	-	0.6	*
ROSEBUD	-	-	-	-	-	-	-	-	-	-	1.8	-	-	3.4	1.6
STONEVILLE	*	*	2.3	-	*	*	*	*	-	-	0.8	-	*	*	*
112	0.5	-	-	-	-	-	-	-	-	-	1.1	-	-	*	*
213	-	-	-	-	-	-	-	-	-	-	0.5	-	-	-	*
302	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
453	-	-	-	-	-	-	0.6	-	-	-	-	-	-	*	*
506	3.9	1.3	32.4	-	0.5	8.0	11.0	27.0	-	-	2.0	-	3.7	0.6	4.6
825	20.9	-	8.3	-	4.3	13.4	9.5	15.7	-	1.4	0.6	-	21.7	3.0	5.6
STROMAN	-	-	-	-	-	-	-	-	0.5	-	-	-	-	*	*
254	*	-	*	-	-	-	-	-	-	-	-	-	-	*	*
SUMMIT	-	-	-	-	-	1.1	-	-	-	-	*	-	-	6.3	2.9
DELTA PINE SR-383	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
SUN VALLEY	-	0.6	-	-	-	-	-	-	-	-	-	-	-	-	*
SV 13	-	1.3	-	-	-	*	-	-	-	-	-	-	-	-	*
SV 93	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
TAMCOT	-	-	-	-	-	-	-	-	-	-	4.7	-	-	3.6	1.8
CAB-CS	-	-	-	-	-	-	-	-	-	-	5.6	-	-	1.1	0.7
CAMD-E	-	-	-	-	-	-	-	-	-	-	0.6	-	-	0.5	*
CD3H	-	-	-	-	-	-	-	-	-	-	-	-	-	4.8	2.2
SP21	-	-	-	-	-	-	-	-	-	-	-	-	-	1.3	0.6
SP21S	-	-	-	-	-	-	-	-	-	-	-	-	-	0.6	*
SP37H	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
56	*	-	-	-	2.2	-	-	-	-	-	-	-	-	-	*
TIFCOT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
ALL OTHER 3/	1.7	1.8	1.2	1.4	1.4	0.8	1.5	2.3	2.0	1.6	2.2	2.5	0.5	11.4	12.5
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

1/ Includes Florida and Kansas. 2/ Totals may not add to overall percentages shown for varieties on page 1 because of rounding and acreages accounting for less than 0.5 percent. 3/ Includes all varieties accounting for less than 0.5 percent and all varieties not listed. \* Less than 0.5 percent.



Table 2. Abilene Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1988

State and County	DELTA-:		G & P		GROWERS:HOLLAND:		LANKART		PAY-:ROSEBUD:		TAMCOT		OTHER:		TOTAL
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
Texas:															
Fisher	-	-	-	-	0.6	-	0.9	5.0	70.9	-	8.1	5.0	-	9.5	100.0
Haskell	21.8	-	1.9	11.3	-	25.3	23.9	-	8.6	-	-	-	0.3	6.9	100.0
Howard 1/	-	22.9	-	-	2.8	-	-	-	-	-	25.7	-	14.3	34.3	100.0
Jones	4.6	-	18.9	0.6	0.3	3.9	33.1	-	-	5.7	5.2	-	3.9	23.8	100.0
Knox	2.2	-	-	-	-	6.5	45.7	1.5	-	1.8	19.3	-	-	23.0	100.0
Martin 1/	-	8.9	-	-	11.1	-	-	11.1	-	-	-	40.0	13.9	15.0	100.0
Mitchell	-	-	-	3.8	15.0	-	7.5	3.8	3.8	-	-	11.2	-	24.9	100.0
Runnells	-	2.3	1.7	24.4	0.6	1.2	3.0	0.6	38.7	-	-	18.1	-	9.4	100.0
Scurry 2/	-	-	-	-	-	-	-	6.4	-	-	-	66.4	-	27.2	100.0
Tom Green	0.9	11.6	5.4	50.2	4.2	-	-	-	4.5	-	-	7.1	-	16.1	100.0
All other	3.2	31.9	1.5	10.0	1.2	2.2	7.9	3.1	1.9	3.9	2.7	9.9	1.4	19.1	100.0
Office total	4.3	11.4	2.8	9.0	1.8	4.6	11.0	2.9	10.0	1.6	2.7	14.2	2.9	18.0	100.0

1/ A portion of this county is served by Lamesa Classing Office. 2/ A portion of this county is served by Lubbock Classing Office. NOTE: Totals may not add due to rounding.

Table 3. Altus Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1988

State and County	DELTA-:		G & P		HOLLAND:		LANKART		PAY-:ROSEBUD:		TAMCOT		OTHER:		TOTAL
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
Oklahoma:															
Beckham	-	-	3.1	3.1	-	3.2	-	-	8.2	43.8	-	-	-	7.4	100.0
Caddo	7.0	-	1.5	2.0	-	2.0	7.0	-	1.5	38.0	-	-	2.0	19.0	100.0
Greer	0.3	-	3.0	3.0	-	31.5	-	-	3.7	18.0	-	-	-	31.3	100.0
Harmon	-	-	-	-	-	0.2	-	-	-	44.4	1.3	-	0.8	53.3	100.0
Jackson	-	43.8	-	-	-	11.5	-	-	-	12.5	2.0	-	-	30.2	100.0
Kiowa	2.2	-	1.7	1.3	0.1	16.9	-	-	35.2	14.6	2.1	6.5	3.4	16.0	100.0
Tillman	5.6	-	-	-	6.4	7.2	21.2	4.5	2.4	0.2	0.2	12.6	16.0	16.7	100.0
Washita	-	0.3	-	-	1.2	12.0	-	0.3	18.4	50.0	0.2	-	-	5.6	100.0
All other	25.9	-	-	0.2	3.0	10.7	-	6.3	9.9	10.5	2.1	2.2	2.6	12.0	100.0
Total	5.2	5.7	0.6	0.6	2.4	9.9	6.6	2.1	9.0	19.2	1.8	4.7	5.6	18.9	100.0

Texas:

Brisco	-	-	-	-	4.7	-	-	-	0.8	80.7	-	0.4	2.0	11.4	100.0
Collingsworth	-	-	-	-	3.9	-	-	-	7.4	30.0	-	25.2	-	33.5	100.0
Cottle	-	-	-	-	0.4	0.3	0.4	0.4	54.8	38.0	-	0.4	-	5.3	100.0
Hall	-	-	-	-	2.4	-	-	-	3.0	78.8	2.4	1.5	-	11.9	100.0
Motley	2.8	-	-	-	-	1.6	-	-	8.8	32.0	-	-	-	54.8	100.0
Wilbarger	-	-	16.7	14.8	-	1.9	7.4	6.0	18.5	5.3	1.0	-	-	28.4	100.0
All other	-	-	0.7	*	2.3	10.1	13.3	11.3	13.0	18.8	3.6	7.0	1.0	14.9	100.0
Total	0.2	-	2.8	2.3	0.7	3.5	5.2	4.4	14.3	36.4	1.7	5.3	0.5	20.4	100.0

Office total 1/ 2.7 2.8 1.7 1.4 1.6 5.1 6.7 5.9 3.2 11.7 27.9 1.7 5.0 3.0 19.7 100.0

1/ Includes small acreages in Kansas. \* Less than 0.5 percent. NOTE: Totals may not add due to rounding.



Table 4. Bakersfield Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1988

State and County	ACALA										GERMAIN'S										OTHER : TOTAL									
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
California:																														
Kern	0.9	-	72.0	3.3	2.9	-	20.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0
Kings 1/	-	0.1	78.8	-	0.3	0.2	20.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0
Tulare 1/	-	-	50.7	2.9	3.6	0.9	41.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0
Office total	0.5	*	69.9	2.2	2.2	0.2	24.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0

1/ A portion of this county is served by Fresno Classing Office. \* Less than 0.5 percent. NOTE: Totals may not add due to rounding.

Table 5. Birmingham Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1988

State and County	COKER				DELTAPINE				DES-119: MCNAIR:				STONEVILLE				SUMMIT: TIFCOT: OTHER : TOTAL			
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
	310	315	90	20	41	50	61				235			213	506	825			56	
Alabama:																				
Cherokee	-	20.6	4.3	-	-	30.9	-	6.5	-	-	12.7	11.1	-	-	-	-	6.9	7.0	100.0	
Colbert	-	-	-	-	-	46.7	-	0.3	-	-	-	51.7	-	-	-	-	-	1.3	100.0	
Dallas	-	-	89.7	-	7.7	1.3	-	-	-	-	-	1.3	-	-	-	-	-	-	100.0	
Elmore	-	-	50.0	-	47.0	-	-	-	-	-	-	-	-	-	-	-	-	3.0	100.0	
Lauderdale	-	-	-	-	-	12.7	-	7.5	-	-	1.6	78.2	-	-	-	-	-	-	100.0	
Lawrence	-	-	1.1	5.4	0.5	60.4	18.6	3.2	-	-	0.2	10.3	-	-	-	-	-	0.3	100.0	
Limestone	-	-	-	1.0	-	78.0	-	3.8	-	0.1	7.7	8.9	-	-	-	-	-	0.5	100.0	
Madison	-	-	-	-	-	23.2	-	6.4	-	4.8	15.2	50.4	-	-	-	-	-	-	100.0	
All other	5.4	1.7	56.7	1.0	11.2	11.0	1.9	1.5	0.6	-	2.6	4.9	0.8	0.3	0.4	0.8	0.3	0.4	100.0	
Office total 1/	1.9	1.4	25.9	1.1	6.0	31.6	2.6	2.9	0.2	0.5	4.2	20.3	0.3	0.4	0.8	0.3	0.4	0.8	100.0	

1/ Includes small acreages in Florida. NOTE: Totals may not add due to rounding.



Table 6. Corpus Christi Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1988

State and County	CASCOT		DELTA PINE		DES-119		DUNN		G & P		STONE		TAMCOT		OTHER		TOTAL	
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Nueces	6.7	2.1	7.4	-	1.9	11.4	0.3	0	11.0	-	42.8	7.1	2.5	3.4	3.4	100.0		
San Patricio	6.4	5.0	8.1	-	-	12.0	-	1.7	2.4	-	54.3	4.0	1.0	1.9	3.1	100.0		
All other	-	-	2.5	20.5	4.3	25.2	2.3	-	3.5	8.7	21.8	1.1	-	5.5	4.6	100.0		
Office total	5.3	2.8	6.7	3.9	1.6	14.2	0.6	0.6	6.4	1.7	43.1	4.8	1.4	3.2	3.5	100.0		

NOTE: Totals may not add due to rounding.

Table 7. El Centro Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1988

State and County	CASCOT		DELTA PINE		DES-119		GERMAIN'S		WHITE		ACALA		LIGHT		NING		OTHER		TOTAL	
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
California:																				
Imperial	4.4	8.5	-	15.3	-	16.3	51.7	-	1.3	-	-	-	-	-	-	-	2.5	100.0		
Riverside	84.9	4.0	-	3.6	0.7	1.6	5.2	-	-	-	-	-	-	-	-	-	-	100.0		
Total	60.9	5.3	-	7.1	0.5	6.0	19.1	-	0.4	-	-	-	-	-	-	-	0.7	100.0		
Arizona:																				
Yuma	12.8	2.4	28.8	38.8	0.1	16.0	0.1	1.0	-	-	-	-	-	-	-	-	-	100.0		
Total	12.8	2.4	28.8	38.8	0.1	16.0	0.1	1.0	-	-	-	-	-	-	-	-	-	100.0		
Office total	44.3	4.3	9.9	18.0	0.4	9.4	12.5	0.3	0.2	-	-	-	-	-	-	-	0.5	100.0		

NOTE: Totals may not add due to rounding.







Table 10. Fresno Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1988

State and County	ACALA										GERMAIN'S										OTHER : TOTAL									
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
California:																														
Fresno	*	31.2	1.0	1.7	-	66.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0
Kings 1/	0.3	39.4	0.3	2.3	0.6	57.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0
Madera	-	40.4	0.7	2.5	-	56.4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0
Merced	-	20.7	5.8	0.3	-	73.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0
Tulare 1/	-	40.0	45.5	0.7	-	13.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0
Office total	0.1	32.7	6.0	1.6	0.1	59.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0

1/ A portion of this county is served by Bakersfield Classing Office. \* Less than 0.5 percent. NOTE: Totals may not add due to rounding.

Table 11. Greenwood Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1988

State and County	DELTA PINE										STONEVILLE										OTHER : TOTAL									
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Mississippi:																														
Bolivar	-	7.0	-	84.6	-	-	6.2	-	-	1.0	-	-	-	-	1.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0
Coahoma	3.8	8.8	-	20.6	-	-	38.2	28.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0
Hinds	1.0	1.0	-	98.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0
Holmes	-	48.3	-	35.0	-	-	3.3	-	-	-	-	-	-	-	13.4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0
Humphreys	0.9	13.0	-	53.8	-	-	18.0	1.9	-	0.9	-	-	-	-	8.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0
Leflore	-	9.5	16.2	4.8	-	-	4.7	-	-	-	-	-	-	-	40.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0
Madison	-	15.0	-	45.0	-	-	-	-	-	-	-	-	-	-	35.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0
Panola 1/	-	-	-	50.0	-	-	50.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0
Quitman	-	15.6	-	28.4	-	-	10.0	-	-	-	-	-	-	-	18.4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0
Sharkey	1.5	13.3	-	61.0	-	-	18.3	-	-	5.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0
Sunflower	-	30.4	-	43.6	-	-	22.1	2.6	-	-	-	-	-	-	1.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0
Tallahatchie	4.1	62.6	-	33.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0
Tunica	-	-	7.4	-	7.6	-	85.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0
Washington	-	29.4	-	42.4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0
Yazoo	-	4.9	8.3	49.0	-	8.3	5.9	-	-	0.9	-	-	-	-	5.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0
All other	2.1	20.6	8.9	24.8	0.9	0.9	25.7	2.9	0.4	0.9	-	-	-	-	5.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0
Office total	1.0	20.5	3.7	37.4	0.3	0.9	16.2	3.1	0.1	0.5	0.8	6.8	8.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0

1/ A portion of this county is served by Memphis Classing Office. NOTE: Totals may not add due to rounding.



Table 12. Harlingen Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1988

State and County	COKER				DELTAPINE				DES-119: G & P : MCNAIR:				STONEVILLE				SUMMIT: TAMCOT: OTHER : TOTAL			
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	: 312	: 315	: 90	: 20	: 41	: 50	: :	: GP 3774:	220	: :	: 112	: 506	: 825	: :	: :	: :	: C-30	: CAB-CS:	: :	: :
Texas:																				
Cameron	-	-	13.8	0.2	38.8	7.5	1.7	5.7	0.3	1.1	0.6	28.2	-	0.2	2.0	100.0				
Hidalgo	16.7	1.0	1.5	0.3	7.6	4.0	2.5	0.2	0.8	3.4	3.1	30.0	1.0	22.2	5.7	100.0				
Willacy	-	-	4.7	1.8	20.8	28.1	0.2	0.2	-	3.6	9.0	26.6	-	0.1	4.8	100.0				
All other	-	-	-	-	-	-	-	-	10.0	-	-	40.0	-	50.0	-	100.0				
Office total	6.1	0.4	6.0	0.8	20.6	12.7	1.8	1.8	0.6	2.7	4.2	28.6	0.4	9.4	4.2	100.0				

NOTE: Totals may not add due to rounding.

Table 13. Hayti Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1988

State and County	COKER				DELTAPINE				DES-119:				STONEVILLE				OTHER : TOTAL			
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	: 3131	: 90	: 20	: 41	: 50	: :	: 112	: 506	: 825	: :	: :	: :	: :	: :	: :	: :	: :	: :	: :	: :
Missouri:																				
Dunklin	1.8	-	20.6	-	61.9	-	-	11.9	1.9	-	-	-	-	-	1.9	100.0				
New Madrid	-	-	5.6	-	33.3	-	-	42.1	18.1	-	-	-	-	-	0.9	100.0				
Pemiscot	-	-	-	-	2.9	-	-	47.3	46.2	-	-	-	-	-	3.6	100.0				
All other	-	0.7	7.7	-	34.8	-	2.1	27.5	24.2	-	-	-	-	-	3.1	100.0				
Total	0.9	0.1	12.1	-	42.0	-	0.2	27.0	15.7	-	-	-	-	-	2.1	100.0				
Arkansas:																				
Craighead	-	-	22.8	-	4.8	3.1	15.2	47.7	5.5	-	-	-	-	-	0.9	100.0				
Mississippi	-	-	3.7	8.0	41.4	-	1.3	37.2	5.6	-	-	-	-	-	2.8	100.0				
Poinsett	-	1.4	6.3	-	23.8	-	-	27.6	38.7	-	-	-	-	-	2.2	100.0				
All other	-	-	23.7	-	28.3	-	-	35.1	11.9	-	-	-	-	-	1.0	100.0				
Total	-	0.2	11.8	3.4	26.1	0.9	5.1	38.4	12.1	-	-	-	-	-	1.9	100.0				
Office total	0.4	0.2	12.0	1.7	33.9	0.5	2.7	32.8	13.9	-	-	-	-	-	2.0	100.0				

NOTE: Totals may not add due to rounding.



Table 14. Lamesa Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1988

State and County	ACALA		COKER		DELTAPINE		DUNN		MC-		PAYMASTER		SUMMIT:		TAMCOT		OTHER		TOTAL	
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Texas:																				
Dawson	-	-	2.2	-	-	11.0	2.7	4.4	-	30.4	-	10.9	13.8	11.8	12.8	100.0				
Gaines	10.7	4.4	8.6	0.5	10.9	0.6	3.1	-	-	14.2	9.3	5.0	20.4	-	11.7	100.0				
Lynn 1/	-	13.0	-	-	-	20.0	5.0	-	13.0	2.0	-	14.0	1.0	-	32.0	100.0				
Martin 2/	4.1	-	-	-	-	-	-	-	9.4	11.5	-	17.6	-	8.2	49.2	100.0				
All other	-	-	0.7	11.6	0.2	2.2	-	-	-	42.6	-	0.9	5.2	4.4	32.1	100.0				
Office total 3/	3.1	2.6	3.1	3.1	3.0	6.3	1.5	2.1	2.1	25.3	2.5	7.4	11.1	5.1	21.6	100.0				

1/ A portion of this county is served by Lubbock Classing Office. 2/ A portion of this county is served by Abilene Classing Office. 3/ Includes small acreages in New Mexico. NOTE: Totals may not add due to rounding.

Table 15. Little Rock Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1988

State and County	ACALA		DELTAPINE		DES-119:DES-422:		HSC		MCNAIR:		SISCO		STONEVILLE		SUMMIT		OTHER		TOTAL	
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Arkansas:																				
Ashley	2.3	16.3	1.1	39.3	-	-	-	-	-	-	-	39.7	1.3	-	-	-	-	-	100.0	
Chicot	-	1.3	8.0	42.8	-	-	-	-	-	-	-	47.2	0.7	-	-	-	-	-	100.0	
Desha	-	-	1.9	48.2	1.8	-	-	-	-	3.5	-	43.1	-	-	-	-	1.5	100.0		
Jefferson	12.8	-	-	56.2	-	-	4.7	-	-	-	-	18.5	6.6	0.7	0.2	0.3	100.0			
Lee	-	19.7	-	33.4	-	5.1	-	-	-	-	-	38.7	3.1	-	-	-	100.0			
Lincoln	10.0	-	-	45.6	-	-	-	-	-	-	-	44.4	-	-	-	-	100.0			
Lonoke	-	2.5	-	74.0	-	-	1.2	-	-	-	-	19.8	2.5	-	-	-	100.0			
Phillips	-	1.0	-	46.7	-	3.6	-	-	-	-	-	17.3	30.2	-	-	0.5	100.0			
St. Francis	-	19.7	-	38.3	-	-	-	0.5	-	-	-	40.5	0.5	-	-	-	-	-	-	
All other	9.2	14.9	-	50.8	-	-	-	-	-	1.5	18.5	-	5.0	-	-	-	100.0			
Office total	4.1	6.2	1.4	48.1	0.2	0.7	0.8	0.2	*	0.7	30.9	6.3	0.1	*	0.3	100.0				

\* Less than 0.5 percent. NOTE: Totals may not add due to rounding.



Table 18. Memphis Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1988

State and County	DELTAPINE					DES-119:DES-422:MCNAIR:NORTHROP					STONEVILLE					OTHER					TOTAL
	ACALA 90	20	41	50		235	KING 380	112	506	825											
Tennessee:																					
Crockett	-	25.9	-	50.9	1.9	-	-	-	6.2	15.1	-	-	-	-	-	-	-				
Fayette	-	45.4	-	47.8	-	-	2.2	-	-	4.6	-	-	-	-	-	-	-				
Gibson	-	38.9	-	41.5	-	-	-	-	-	19.6	-	-	-	-	-	-	-				
Hardeman	-	16.1	-	28.8	-	-	2.5	30.4	-	22.2	-	-	-	-	-	-	-				
Haywood	-	9.9	-	37.1	-	-	-	-	10.1	42.9	-	-	-	-	-	-	-				
Lauderdale	-	1.9	-	58.7	-	-	-	1.1	7.5	30.8	-	-	-	-	-	-	-				
Madison	-	9.8	-	50.0	-	-	-	-	-	40.2	-	-	-	-	-	-	-				
Shelby	-	13.0	-	73.0	2.0	-	-	-	4.0	8.0	-	-	-	-	-	-	-				
Tipton	-	11.9	-	80.0	-	-	-	-	-	8.1	-	-	-	-	-	-	-				
All other	-	32.0	-	42.9	-	-	8.9	-	2.3	13.9	-	-	-	-	-	-	-				
Total	-	21.3	-	50.1	0.4	-	1.2	1.5	0.1	3.7	21.7	-	-	-	-	-	-				
Arkansas:																					
Crittenden	11.0	-	-	65.0	20.0	-	-	-	2.0	2.0	-	-	-	-	-	-	-				
Total	11.0	-	-	65.0	20.0	-	-	-	2.0	2.0	-	-	-	-	-	-	-				
Mississippi																					
Calhoun 1/	-	5.0	-	44.0	3.0	-	-	-	39.0	9.0	-	-	-	-	-	-	-				
Marshall	-	4.7	-	47.3	19.9	-	-	2.0	15.4	10.7	-	-	-	-	-	-	-				
Panola 1/	-	15.0	-	63.0	12.0	-	-	-	6.0	3.0	-	-	-	-	-	-	-				
Tate	-	5.7	-	50.0	37.2	-	-	-	3.3	3.8	-	-	-	-	-	-	-				
All other	*	8.9	4.6	51.1	8.1	0.2	5.9	1.3	0.5	11.8	7.5	-	-	-	-	-	-				
Total	*	8.7	2.5	51.8	12.5	0.1	3.2	1.0	0.3	12.6	7.1	-	-	-	-	-	-				
Office total	0.4	16.9	0.7	51.2	4.6	*	1.7	1.3	0.1	6.1	16.8	-	-	-	-	-	-				

Table 19. Phoenix Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1988

		DELTAPINE																SUN VALLEY				OTHER		TOTAL	
State and County	ACALA : BR-110 :	ACALA : 90 :	20 :	41 :	50 :	55 :	61 :	70 :	77 :	120 :	DES-119 :	STONE- :	VILLE :	SV 13 :	SV 93 :										
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.						
Arizona:																									
Maricopa	0.7	68.1	0.9	1.5	0.6	-	3.2	0.2	19.9	3.9	0.5	-	0.4	-	0.1	100.0									
Pima	-	38.7	14.4	2.4	-	-	-	-	-	-	17.7	26.8	-	-	-	100.0									
Pinal	4.5	63.4	1.6	4.4	-	0.1	0.4	-	17.4	0.4	0.3	-	1.3	4.5	1.6	100.0									
All other	-	64.8	5.0	-	-	-	0.6	2.9	21.9	-	-	-	-	-	4.8	100.0									
Office total	2.0	64.6	2.2	2.5	0.3	*	1.9	0.3	18.0	2.2	1.3	1.5	0.7	1.6	0.9	100.0									

\* Less than 0.5 percent. NOTE: Totals may not add due to rounding.



Table 16. Lubbock Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1988

State and County	: ALL-TEX: QUICKIE:	: CASCOT	: COKER	: DUNN	: GROWERS	: PAYMASTER	: RANGER: ROSEBUD:	: SUMMIT: DELTA-:	: OTHER	: TOTAL
	: :									

1/ A portion of this county is served by Lamesa Classing Office. 2/ Includes small acreages in New Mexico. NOTE: Totals may not add due to rounding.

Table 17. Macon Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1988

State and County	COKER	DELTA-PINE	MCNAIR	PD-3	STONEVILLE	TIFCOT	OTHER	TOTAL
	: ACALA : 90 : 41 : 50 : 220 : 235 : 506 : 825 : 56 :							
Georgia:								
Burke	1.5	6.0	26.3	-	23.8	18.8	-	1.2
Colquitt	-	-	1.7	-	55.0	18.6	-	2.1
Dooly	-	-	30.5	-	30.2	8.7	-	4.1
All other	2.0	0.9	6.2	0.7	53.7	7.3	5.2	2.0
Office total	1.6	1.0	10.2	0.5	49.1	9.1	5.0	0.8

NOTE: Totals may not add due to rounding.







Table 22. Estimated percentage of American Pima cotton acreage planted to specified varieties, by states, crop of 1988

State	Pima S-5	Pima S-6	Other	Total
	Percent	Percent	Percent	Percent
Arizona	0.7	99.3	-	100.0
New Mexico	-	100.0	-	100.0
Texas	-	100.0	-	100.0
United States	0.5	99.5	-	100.0

NOTE: Totals may not add due to rounding.

Table 23. Estimated percentage of American Pima cotton acreage planted to specified varieties, by classing offices, crop of 1988

Classing Offices	Pima S-5	Pima S-6	Other	Total
	Percent	Percent	Percent	Percent
El Paso:				
Arizona	-	100.0	-	100.0
New Mexico	-	100.0	-	100.0
Texas	-	100.0	-	100.0
Office total 1/	-	100.0	-	100.0
Phoenix:				
Arizona				
Office total 2/	0.8	99.2	-	100.0

1/ Includes small acreages in Waco Classing Office area.

2/ Includes small acreages in El Centro Classing Office area.

NOTE: Totals may not add due to rounding.







